

Safety Data Sheet dated 08/09/2023, version 7

1.1. Product identifier	ostance/mixture and of the company/undertaking
Mixture identification:	
Trade name:	ICE SPRAY
Trade code:	DISPO ICE SPRAY
	substance or mixture and uses advised against
Description/Use:	Pain reliever spray
Uses not recommended: 1.3. Details of the supplier of the sat	Any use not specified in this section or in section 7.3 fety data sheet
Company:	
	ano, 29 - 23020 Gordona (SO) - Italy
DISPOTECH SRL - Phone n.	
	+39-034336567
Competent person responsible for th <u>quality@dispotech.it</u>	ne safety data sheet:
<u>quanty e dispoteon ne</u>	
1.4. Emergency telephone number	
DISPOTECH SRL - Phone n.	
From Monday to Friday 8,30	0-12,30 14,00-18,00
EC regulation criteria 1272/2008 (C	P)·
Danger, Aerosols 1, Ext heated.	
heated. Adverse physicochemical, human h	remely flammable aerosol. Pressurized container: may burst if
heated. Adverse physicochemical, human h No other hazards	remely flammable aerosol. Pressurized container: may burst if
heated. Adverse physicochemical, human h No other hazards 2.2. Label elements	remely flammable aerosol. Pressurized container: may burst if
heated. Adverse physicochemical, human h No other hazards	remely flammable aerosol. Pressurized container: may burst if
heated. Adverse physicochemical, human h No other hazards 2.2. Label elements	remely flammable aerosol. Pressurized container: may burst if
heated. Adverse physicochemical, human h No other hazards 2.2. Label elements	remely flammable aerosol. Pressurized container: may burst if
heated. Adverse physicochemical, human h No other hazards 2.2. Label elements	remely flammable aerosol. Pressurized container: may burst if
heated. Adverse physicochemical, human h No other hazards 2.2. Label elements Hazard pictograms: Danger Hazard statements:	remely flammable aerosol. Pressurized container: may burst if
heated. Adverse physicochemical, human h No other hazards 2.2. Label elements Hazard pictograms: Danger Hazard statements: H222+H229 Extremely flamm	remely flammable aerosol. Pressurized container: may burst if
heated. Adverse physicochemical, human he No other hazards 2.2. Label elements Hazard pictograms: Danger Hazard statements: H222+H229 Extremely flamm Precautionary statements:	remely flammable aerosol. Pressurized container: may burst if ealth and environmental effects: nable aerosol. Pressurized container: may burst if heated.
heated. Adverse physicochemical, human h No other hazards 2.2. Label elements Hazard pictograms: Danger Hazard statements: H222+H229 Extremely flamm Precautionary statements: P102 Keep out of reach of ch	remely flammable aerosol. Pressurized container: may burst if ealth and environmental effects: nable aerosol. Pressurized container: may burst if heated. ildren.
heated. Adverse physicochemical, human h No other hazards 2.2. Label elements Hazard pictograms: Danger Hazard statements: H222+H229 Extremely flamm Precautionary statements: P102 Keep out of reach of ch P210 Keep away from heat, h	remely flammable aerosol. Pressurized container: may burst if ealth and environmental effects: nable aerosol. Pressurized container: may burst if heated.
heated. Adverse physicochemical, human h No other hazards 2.2. Label elements Hazard pictograms: Danger Hazard statements: H222+H229 Extremely flamm Precautionary statements: P102 Keep out of reach of ch P210 Keep away from heat, h smoking.	remely flammable aerosol. Pressurized container: may burst if ealth and environmental effects: nable aerosol. Pressurized container: may burst if heated. ildren.

P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F. Special Provisions:

None

Special provisions according to Annex XVII of REACH and subsequent amendments:

DISPOTECH Page n. 1 of 9

None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1%Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

- 3.1. Substances
- N.A.
- 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Num	ber	Classification
>= 50% - < 55%	propane	Index number: CAS: EC: Nr. Reg.:	601-003-00-5 74-98-6 200-827-9 01-21194869	 2.2/1 Flam. Gas 1 H220 2.5 Press. Gas H280
>= 25% - < 30%	butane	Index number: CAS: EC: Nr. Reg.:	44-21-XXXX 601-004-00-0 106-97-8 203-448-7 01-21194746 91-32-XXXX	 2.2/1 Flam. Gas 1 H220 2.5 Press. Gas H280
>= 10% - < 12.5%	and isobutane	Index number: CAS: EC: Nr. Reg.:	601-004-00-0 75-28-5 200-857-2 01-21194853 95-27-XXXX	 2.2/1 Flam. Gas 1 H220 2.5 Press. Gas H280
>= 0,1% - < 0.5%	L-menthol	Index number: CAS: EC: Nr. Reg.:	2216-51-5 218-690-9 01-21194588 66-21-XXXX	 3.2/2 Skin Irrit. 2 H315 3.3/2 Eye Irrit. 2 H319

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In case of Ingestion:

Do NOT induce vomiting.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

- 4.2. Most important symptoms and effects, both acute and delayed None
- 4.3. Indication of any immediate medical attention and special treatment needed Treatment:

DISPOTECH Page n. 2 of 9

None

SECTION 5: Firefighting measures

- 5.1. Extinguishing media
 - Suitable extinguishing media: CO2 or Dry chemical fire extinguisher. Extinguishing media which must not be used for safety reasons: None in particular.
- 5.2. Special hazards arising from the substance or mixture Do not inhale explosion and combustion gases. Burning produces heavy smoke.
- 5.3. Advice for firefighters
 Use suitable breathing apparatus .
 Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures Wear personal protection equipment.
 - Remove all sources of ignition.
 - Remove persons to safety.

See protective measures under point 7 and 8.

- 6.2. Environmental precautions
 - Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

- 6.3. Methods and material for containment and cleaning up
- Wash with plenty of water. 6.4. Reference to other sections
- See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Store at below 20 °C. Keep away from unguarded flame and heat sources. Avoid direct exposure to sunlight.

Keep away from unguarded flame, sparks, and heat sources. Avoid direct exposure to sunlight.

Keep away from food, drink and feed.

- Incompatible materials:
- None in particular.

Instructions as regards storage premises:

Cool and adequately ventilated.

7.3. Specific end use(s)

DISPOTECH Page n. 3 of 9

None in particular

SECTION 8: Exposure controls/personal protection 8.1. Control parameters propane - CAS: 74-98-6 ACGIH - Notes: (D, EX) - Asphyxia butane - CAS: 106-97-8 ACGIH - STEL: 1000 ppm - Notes: (EX) - CNS impair and isobutane - CAS: 75-28-5 ACGIH - STEL: 1000 ppm - Notes: (EX) - CNS impair **DNEL Exposure Limit Values** N.A. **PNEC Exposure Limit Values** N.A. 8.2. Exposure controls Eye protection: Not needed for normal use. Anyway, operate according good working practices. Protection for skin: No special precaution must be adopted for normal use. Protection for hands: Not needed for normal use. Respiratory protection: Not needed for normal use. Thermal Hazards: None Environmental exposure controls: None Appropriate engineering controls: None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value
Appearance:	Liquid
Colour	Colourless
Odour:	Characteristic
	sweet-smelling
Odour threshold:	N.A.
pH:	N.A.
Melting point / freezing	N.A.
point:	
Initial boiling point and	N.A.
boiling range:	
Flash point:	< 0 °C
Evaporation rate:	N.A.
Solid/gas flammability:	N.A.
Upper/lower flammability	N.A.
or explosive limits:	
Vapour pressure:	N.A.
Vapour density:	N.A.
Relative density:	0,86 gr/ml c.ca
Solubility in water:	Partial

Solubility in oil:	Total
Partition coefficient	N.A.
(n-octanol/water):	
Auto-ignition temperature:	N.A.
Decomposition	N.A.
temperature:	
Viscosity:	N.A.
Explosive properties:	N.A.
Oxidizing properties:	N.A.
Particle characteristics:	N.A.

9.2. Other information

Properties	Value
Miscibility:	N.A.
Fat Solubility:	N.A.
Conductivity:	N.A.
Substance Groups	N.A.
relevant properties	

SECTION 10: Stability and reactivity

- 10.1. Reactivity
 - Stable under normal conditions
- 10.2. Chemical stability
 - Stable under normal conditions
- 10.3. Possibility of hazardous reactions It may catch fire on contact with oxidising mineral acids.
- 10.4. Conditions to avoid Stable under normal conditions.
- 10.5. Incompatible materials
 - Avoid contact with combustible materials. The product could catch fire.
- 10.6. Hazardous decomposition products
 - None.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Toxicological information of the product:

N.A.

Toxicological information of the main substances found in the product:

N.A.

If not differently specified, the information required in Regulation (EU) 2020/878 listed below must be considered as N.A.:

a) acute toxicity;

b) skin corrosion/irritation;

c) serious eye damage/irritation;

- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.
- 11.2. Information on other dangers:

DISPOTECH Page n. 5 of 9

Endocrine Disrupting Properties:

No endocrine disruptor substances present in concentration >= 0.1%

SECTION 12: Ecological information

- 12.1. Toxicity
 - Adopt good working practices, so that the product is not released into the environment. N.A.
- 12.2. Persistence and degradability None
 - N.A.
- 12.3. Bioaccumulative potential N.A.
- 12.4. Mobility in soil
 - N.A.
- 12.5. Results of PBT and vPvB assessment vPvB Substances: None - PBT Substances: None
- 12.6. Endocrine disrupting properties No endocrine disruptors present in concentration >= 0.1%
- 12.7. Other adverse effects None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

The codes indicating the type of waste should be considered as recommendations on the basis foreseeable use of this product. Depending on the particular use and the disposal characteristics of the user can be assigned different codes. 160504 gases in pressure containers (including halons), containing dangerous substances. Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information	
14.1 UN number:	
ADR-UN number:	1950
IATA-UN number:	1950
IMDG-NUMERO ONU: U	N 1950
14.2 UN proper shipping name:	
ADR-Shipping Name:	Aerosol
IATA-Technical name:	Aerosol
IMDG-Technical name:	Aerosol
14.3 Transport hazard class(es):	
ADR-Class:	2
ADR-Label:	UN 1950 Aerosols – limited quantity
IATA-Class:	2
IATA-Label:	2.1
IMDG-Class:	2
IMDG-Label:	UN 1950 Aerosols – Limited quantity
14.4 Packaging group:	
ADR-Packing Group:	n.a.
14.5 Environmental hazards	
Marine pollutant:	no
14.6 Special Precautions for User	
IMDG-Technical name	Aerosols
Limited Quantity: max 1000ml	Total gross mass of Package not exceed 30 kg LQ2
-	

IMDG-EMS:

F-D S-U

IMDG-MFAG: S-U 14.7 Maritime transport in bulk according to IMO instruments N.a.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) n. 2020/878 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP) Regulation (EU) n. 2018/669 (ATP 11 CLP) Regulation (EU) n. 2018/1480 (ATP 13 CLP) Regulation (EU) n. 2019/521 (ATP 12 CLP) Regulation (EU) n. 2020/217 (ATP 14 CLP) Regulation (EU) n. 2020/1182 (ATP 15 CLP) Regulation (EU) n. 2021/643 (ATP 16 CLP) Regulation (EU) n. 2021/849 (ATP 17 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: **Restriction 3 Restriction 40** Restrictions related to the substances contained: No restriction. Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive) Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 Product belongs to category: P3a 15.2. Chemical safety assessment No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Text of phrases referred to under heading 3:

- H220 Extremely flammable gas.
 - H280 Contains gas under pressure; may explode if heated.
 - H315 Causes skin irritation.
- H319 Causes serious eye irritation

DISPOTECH Page n. 7 of 9

Hazard class and hazard category	Code	Description
Flam. Gas 1	2.2/1	Flammable gas, Category 1
Aerosols 1	2.3/1	Aerosol, Category 1
Press. Gas	2.5	Gases under pressure
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Irrit. 2	3.3/2	Eye irritation, Category 2

Paragraphs modified from the previous revision:

This safety data sheet has been completely updated in compliance to Regulation 2020/878.

Regulatory information Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Aerosols 1, H222+H229	On basis of test data

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to

It is the duty of the user to ensure that this information is appropriate and complete with respective the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of
	Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.

DISPOTECH Page n. 8 of 9

PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods
	by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.